

## 2. Mathematics with Maple: the Basics

### 2.1 Introduction

```
|> 1 + 2;  
|  
|> 1 + 3/2;  
|  
|> 2*(3+1/3)/(5/3-4/5);  
|  
|> 2.8754/2;  
|  
|> 1 + 1/2;
```

3

$\frac{5}{2}$

$\frac{100}{13}$

1.437700000

$\frac{3}{2}$

### 2.2 Numerical Computations

#### Integer computations

```
|> 1 + 2;  
|  
|> 75 - 3;
```

3

72

## Exact Arithmetic - Rationals, Irrationals and Constants

$$\left| > \frac{1}{2} + \frac{1}{3}; \right.$$

```
|> Pi;  
|  
|> evalf(Pi, 100);  
3.14159265358979323846264338327950288419716939937510\  
|  
|> 1/3;  
|  
|> evalf(%);  
|  
|> 3/2^5;  
|  
|> 1.5^5;  
|  
|> sqrt(2);  
|  
|> sqrt(3)^2;  
|  
|> Pi;  
|  
|> sin(Pi);  
|  
|> exp(1);  
|
```

```
|> ln(exp(5));  
|> 5
```

## Floating-Point Approximations

```
|> evalf(Pi);  
|> evalf(Pi, 200);  
3.14159265358979323846264338327950288419716939937510\  
5820974944592307816406286208998628034825342117067982\  
1480865132823066470938446095505822317253594081284811\  
174502841027019385211055596446229489549303820  
|> 1/3 + 1/4 + 1/5.3;  
|> .7720125786  
|> sin(0.2);  
|> .1986693308  
|> Digits := 20;  
|> Digits := 20  
|> sin(0.2);  
|> .19866933079506121546
```

## Arithmetic with Special Numbers

```
|> (2 + 5*I) + (1 - I);  
|> 3 + 4 I  
|> (1 + I) / (3 - 2*I);
```

```

           $\frac{1}{13} + \frac{5}{13} I$ 
> convert(247, binary);
          11110111
> convert(1023, hex);
          3FF
> convert(17, base, 3);
          [2, 2, 1]
> 27 mod 4;
          3
> mods(27, 4);
          -1
> modp(27, 4);
          3

```

## Mathematical Functions

```

> sin(Pi/4);
           $\frac{1}{2}\sqrt{2}$ 
> ln(1);
          0
> ln(Pi);
          ln( $\pi$ )

```

## 2.3 Basic Symbolic Computations

```
|> (1 + x)^2;
|                                (1 + x)^2
|> (1 + x) + (3 - 2*x);
|                                4 - x
|> expand( (1 + x)^2 );
|                                1 + 2 x + x^2
|> factor(%);
|                                (1 + x)^2
|> Diff(sin(x), x);
|                                 $\frac{\partial}{\partial x} \sin(x)$ 
|> value(%);
|                                cos(x)
|> Sum(n^2, n);
|                                 $\sum_n n^2$ 
|> value(%);
|                                 $\frac{1}{3} n^3 - \frac{1}{2} n^2 + \frac{1}{6} n$ 
|> rem(x^3+x+1, x^2+x+1, x);
|                                2 + x
```

```
|> series(sin(x), x=0, 10);

$$x - \frac{1}{6}x^3 + \frac{1}{120}x^5 - \frac{1}{5040}x^7 + \frac{1}{362880}x^9 + O(x^{10})$$

```

## 2.4 Assigning Names to Expressions

**General syntax:** `name := expression;`

```
|> var := x;

$$var := x$$

|> term := x*y;

$$term := x y$$

|> eqns := x = y + 2;

$$eqns := x = y + 2$$

```


## Defining functions

```
|> f := x -> 2*x^2 - 3*x + 4;

$$f := x \rightarrow 2x^2 - 3x + 4$$

```

```
|> plot(f(x), x = -5 .. 5);
```



```
|> f := x-> x^2;
```

$$f := x \rightarrow x^2$$

```
|> f(5);
```

$$25$$

```
|> f(y+1);
```

$$(y + 1)^2$$

## Protected Names

*Note that Pi is NOT a protected name in Maple V.5 !*

```
|> # Don't try this at home!! Pi := 3.14;  
|> set := {1, 2, 3};  
Error, attempting to assign to `set` which is  
protected
```

## 2.5 More Basic Types of Maple Objects

### Expression Sequences

```
|> 1, 2, 3, 4;  
1, 2, 3, 4  
|> x, y, z, w;  
x, y, z, w  
|> a.b;  
ab  
|> S := 1, 2, 3, 4;  
S := 1, 2, 3, 4  
|> a.S;  
a1, a2, a3, a4
```

### Lists

```
|> data_list := [1, 2, 3, 4, 5];  
data_list := [1, 2, 3, 4, 5]
```

```

> polynomials := [x^2+3, x^2+3*x-1, 2*x];
      polynomials := [x2 + 3, x2 + 3 x - 1, 2 x]
> participants := [Kathy, Frank, Rene,
Niklaus, Liz];
      participants := [Kathy, Frank, Rene, Niklaus, Liz]
> [a,b,c], [b,c,a], [a,a,b,c,a];
      [a, b, c], [b, c, a], [a, a, b, c, a]
> letters := [a,b,c];
      letters := [a, b, c]
> letters[2];
      b
> nops(letters);
      3
> op(letters);
      a, b, c
> letters[];
      a, b, c

```

## Sets

```

> data_set := {1, -1, 0, 10, 2};
      data_set := {0, -1, 1, 2, 10}
> unknowns := {x, y, z};
      unknowns := {x, y, z}

```

```

|> {a,b,c}, {c,b,a}, {a,a,b,c,a};
|                                { a, b, c }, { a, b, c }, { a, b, c }
|> {1,2,2.0};
|                                { 1, 2, 2.0 }
|> {a,b,c} union {c,d,e};
|                                { a, b, c, d, e }
|> {1,2,3,a,b,c} intersect {0,1,y,a};
|                                { 1, a }
|> nops(%);
|                                2
|> op( {1,2,3,a,b} );
|                                1, 2, 3, a, b
|> numbers := {0, Pi/3, Pi/2, Pi};
|                                numbers := { 0,  $\pi$ ,  $\frac{1}{3}\pi$ ,  $\frac{1}{2}\pi$  }

```

## Operations on Sets and Lists

```

|> participants := [Kate, Tom, Steve];
|                                participants := [ Kate, Tom, Steve ]
|> member(Tom, participants);
|                                true
|> data_set := {5, 6, 3, 7};
|                                data_set := { 3, 5, 6, 7 }
|> member(2, data_set);
|                                false

```

```

|> participants := [Kate, Tom, Steve];
      participants := [Kate, Tom, Steve]
|> participants[2];
      Tom
|> empty_set := {};
      empty_set := {}
|> empty_list := [];
      empty_list := []
|> old_set := {2, 3, 4} union {};
      old_set := {2, 3, 4}
|> new_set := old_set union {2, 5};
      new_set := {2, 3, 4, 5}
|> third_set := old_set minus {2, 5};
      third_set := {3, 4}

```

## Arrays

```

|> squares := array(1..3);
      squares := array(1 .. 3, [ ])
|> squares[1] := 1; squares[2] := 2^2;
      squares[3] := 3^2;
      squares1 := 1
      squares2 := 4
      squares3 := 9
|> cubes := array(1..3, [1, 8, 27]);
      cubes := [1, 8, 27]

```

```

|> squares[2];
|               4
|
|> squares;
|               squares
|
|> print(squares);
|               [1,4,9]
|
|> pwrs := array(1..3, 1..3);
|               pwrs := array(1 .. 3, 1 .. 3, [ ])
|
|> pwrs[1,1] := 1; pwrs[1,2] := 1; pwrs[1,3]
|:= 1;
|               pwrs1,1 := 1
|               pwrs1,2 := 1
|               pwrs1,3 := 1
|
|> pwrs[2,1] := 2: pwrs[2,2] := 4: pwrs[2,3]
|:= 8:
|
|> pwrs[3,1] := 3: pwrs[3,2] := 9: pwrs[3,3]
|:= 27:
|
|> print(pwrs);
|               ⎡ 1   1   1 ⎤
|               ⎢ 2   4   8 ⎥
|               ⎣ 3   9   27⎦
|
|> pwrs[2,3];
|               8

```

```

> array3 := array( 1..2, 1..2, 1..2,
> [[ [1,2], [3,4] ], [[5,6], [7,8]] ]);
array3 := array(1 .. 2, 1 .. 2, 1 .. 2, [
  (1, 1, 1) = 1
  (1, 1, 2) = 2
  (1, 2, 1) = 3
  (1, 2, 2) = 4
  (2, 1, 1) = 5
  (2, 1, 2) = 6
  (2, 2, 1) = 7
  (2, 2, 2) = 8
])

```

## The **subs** Command

**General syntax:** `subs( x=expr1, y=expr2, ... main expr );`

```

> expr := z^2 + 3;
expr :=  $z^2 + 3$ 
> subs(z=x+y, expr);
 $(x + y)^2 + 3$ 

```

## Tables (Associative Arrays)

```
> translate :=  
  table([one=un,two=deux,three=trois]);  
translate := table([  
  one = un  
  two = deux  
  three = trois  
])  
> translate[two];  
          deux  
> Digits := 10;  
          Digits := 10
```

```

> earth_data := table(
  [mass=5.976*10^24,kg],
>
  radius=[6.378164*10^6,m],
>
  circumference=[4.00752*10^7,m]) ;
earth_data := table([
  mass = [.5976000000 1025, kg]
  radius = [.6378164000 107, m]
  circumference = [.4007520000 108, m]
])
> earth_data[mass];
  [.5976000000 1025, kg]

```

## 2.6 Expression Manipulation

### The **simplify** Command

```

> expr := cos(x)^5 + sin(x)^4 + 2*cos(x)^2
> - 2*sin(x)^2 - cos(2*x);
expr := cos(x)5 + sin(x)4 + 2 cos(x)2 - 2 sin(x)2 - cos(2 x)
> simplify(expr);
  cos(x)5 + cos(x)4
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2);
  1 + ln(2) + ln(y)

```

```

> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,
'trig');

$$1 + \ln(2 y)$$

> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,
'ln');

$$\sin(x)^2 + \ln(2) + \ln(y) + \cos(x)^2$$


```

*The siderel example gives a different result in Maple V.5*

## The factor Command

```

> big_poly := x^5 - x^4 - 7*x^3 + x^2 + 6*x;

$$big\_poly := x^5 - x^4 - 7 x^3 + x^2 + 6 x$$

> factor(%);

$$x (x - 1) (x - 3) (x + 2) (x + 1)$$

> rat_expr := (x^3 - y^3) / (x^4 - y^4);

$$rat\_expr := \frac{x^3 - y^3}{x^4 - y^4}$$

> factor(rat_expr);

$$\frac{x^2 + x y + y^2}{(y + x) (x^2 + y^2)}$$


```

## The expand Command

```

> expand((x+1)*(x+2));

$$x^2 + 3 x + 2$$


```

```

|> expand(sin(x+y));
          sin(y) cos(x) + cos(y) sin(x)
|> expand(exp(a+ln(b)));
          ea b
|> expand((x+1)*(y+z), x+1);
          (x + 1) y + (x + 1) z

```

## The convert Command

```

|> convert(cos(x), exp);
          1      1
          - e(Ix) + - -----
          2      2   e(Ix)
|> convert(exp(x)/2 + exp(-x)/2, trig);
          cosh(x)
|> A := array(1..2, 1..2, [[a,b], [c,d]]);
          A := [a   b]
                  [c   d]
|> convert(A, 'listlist');
          [[a, b], [c, d]]
|> convert(A, 'set');
          { a, b, c, d }
|> convert(%, list);
          [a, b, c, d]

```

## The **normal** Command

```
|> rat_expr_2 := (x^2 - y^2) / (x - y)^3;  
|  
|  
|  
|> normal(rat_expr_2);  
|  
|  
|  
|> normal(rat_expr_2, 'expanded');  
|  
|  
|
```

$$\begin{aligned}rat\_expr\_2 &:= \frac{x^2 - y^2}{(-y + x)^3} \\&= \frac{y + x}{(-y + x)^2} \\&= \frac{y + x}{y^2 - 2xy + x^2}\end{aligned}$$

## The **combine** Command

```
|> combine(exp(x)^2*exp(y), exp);  
|  
|  
|> combine((x^a)^2, power);  
|  
|
```

$$\begin{aligned}&\mathbf{e}^{(2x+y)} \\&x^{(2a)}\end{aligned}$$

## The **map** Command

```
|> f := 'f';
|                                     f:=f
|> map( f, [a,b,c] );
|                                     [f(a),f(b),f(c)]
|> data_list := [0, Pi/2, 3*Pi/2, 2*Pi];
|                                     data_list := [0,  $\frac{1}{2}\pi$ ,  $\frac{3}{2}\pi$ ,  $2\pi$ ]
|> map(sin,data_list);
|                                     [0, 1, -1, 0]
|> map(f, [a,b,c], x, y);
|                                     [f(a,x,y),f(b,x,y),f(c,x,y)]
|> fcn_list := [sin(x), ln(x), x^2];
|                                     fcn_list := [sin(x), ln(x),  $x^2$ ]
|> map(Diff,fcn_list,x);
|                                     [ $\frac{\partial}{\partial x}\sin(x)$ ,  $\frac{\partial}{\partial x}\ln(x)$ ,  $\frac{\partial}{\partial x}x^2$ ]
|> map(value,%);
|                                     [cos(x),  $\frac{1}{x}$ ,  $2x$ ]
|> map(x->x^2, [-1,0,1,2,3]);
|                                     [1, 0, 1, 4, 9]
```

## The **lhs** and **rhs** Commands

```
|> eqn1 := x+y=z+3;  
|> lhs(eqn1);  
|> rhs(eqn1);
```

$$eqn1 := y + x = z + 3$$

$$y + x$$

$$z + 3$$

## The **numer** and **denom** Commands

```
|> numer(3/4);  
|> denom(1/(1+x));
```

$$3$$

$$x + 1$$

## The **nops** and **op** Commands

```
|> nops(x^2);  
|> nops(x+y);  
|> op(x^2);  
|> op(1,x^2);
```

$$2$$

$$2$$

$$x, 2$$

$$x$$

```
| > op(1..2,x+y+z+w);
```

## Common Questions about Expression Manipulation

```

> expr := a^3*b^2;
expr :=  $a^3 b^2$ 
> subs(a*b=5,expr);
 $a^3 b^2$ 
> simplify(expr, {a*b=5});
 $25 a$ 
> expr2 := cos(x)*(sec(x) - cos(x));
expr2 :=  $\cos(x)(\sec(x) - \cos(x))$ 
> simplify(%);
 $1 - \cos(x)^2$ 
> simplify(%, {1-cos(x)^2=sin(x)^2});
 $\sin(x)^2$ 
> x^19 - x;
 $x^{19} - x$ 
> factor(%);
 $x(x - 1)(x^2 + x + 1)(x^6 + x^3 + 1)(x + 1)(1 - x + x^2)$ 
 $(1 - x^3 + x^6)$ 

```

```
|> 2*(x + y);  
|> expr3 := 2*(x + y);  
|> subs( 2=two, expr3 );  
|> factor(%);
```

$$\begin{aligned} & 2y + 2x \\ & expr3 := 2y + 2x \\ & y\,two + x\,two \\ & two(y + x) \end{aligned}$$