

**PHYS 410: Computational Physics    Fall 2023**  
**Homework 1 (Amended)**

**Due: Wednesday, October 4, 11:59 PM**

*PLEASE report all bugs, comments, gripes etc. to Matt: [choptuik@physics.ubc.ca](mailto:choptuik@physics.ubc.ca)*

### General Notes

1. Refer to <http://laplace.phas.ubc.ca/410> and <http://laplace.phas.ubc.ca/410/Homework.html> for general information concerning homeworks/projects and the writeups that must accompany the submission of each.
2. Your solution to each problem should include at least one script which, when run, will call the functions you write to generate your results: i.e. the TA should have to do nothing more than type the name of a script in order to reproduce the results you describe in your writeup. Ensure that you include the names of all such scripts in your writeup.
3. Your functions and scripts do not have to be extensively documented. For functions, an initial comment block that describes the input and output arguments is recommended, and you are free to use the comments below for that purpose.
4. Roots should be calculated to a minimum of  $10^{-12}$  *relative precision*.
5. Recall that you are welcome to discuss this and other assignments with your classmates, but that *any work you submit, including your writeup and any and all source code, must be original to you.*

### Problem 1

Implement a hybrid algorithm that uses bisection and Newton's method to locate a root within a given interval  $[x_{\min}, x_{\max}]$ . Your top-level algorithm should be implemented as a function with the header

```
function x = hybrid(f, dfdx, xmin, xmax, tol1, tol2)
```

where the arguments to the routine are defined as follows:

```
% f:      Function whose root is sought.  
% dfdx:  Derivative function.  
% xmin:  Initial bracket minimum.  
% xmax:  Initial bracket maximum.  
% tol1:  Relative convergence criterion for bisection.  
% tol2:  Relative convergence criterion for Newton iteration.
```

The single output argument is given by

```
% x:      Estimate of root.
```

Given the initial bracket (interval)  $[x_{\min}, x_{\max}]$  such that

$$f(x_{\min})f(x_{\max}) < 0$$

and such that there is precisely one root within the interval, your implementation should perform bisection until the root has been localized to a *relative* accuracy of `tol1`. Your code should then perform Newton iterations until the root has been determined to a *relative* tolerance of `tol2`. Use the best estimate from the bisection stage of your code as an initial estimate for the Newton iteration.

Note that in MATLAB functions can be passed to other functions as arguments (e.g. `f` and `dfdx` above) using *function handles*, as in the following:

```

function fx = f(x)
    fx = cos(x)^2;
end

function val = caller(some_fcn, x)
    val = some_fcn(x);
end

result = caller(@f, 2.0)

```

Here, `@f` is a function handle and `result` will be assigned the value  $\cos(2)^2$ . In brief, to pass a function to another function, simply prepend a `@` to the function name in the actual-argument list.

Test your implementation of `hybrid` by coding a script called `thybrid.m` that determines all roots of the function

$$f(x) = 128x^8 - 256x^6 + 160x^4 - 32x^2 + 1 \quad (1)$$

in the interval  $[-1, 1]$ .

I leave it to you to determine how to choose the initial intervals for `hybrid` (in `thybrid`), but a brute force approach will suffice. Also, your solution may comprise more than one function—i.e. more functions than `hybrid` alone. In particular, you will, at a minimum, need to code a function that evaluates  $f(x)$  as given by (1) as well as one that evaluates the derivative  $f'(x)$ .

## Problem 2

Implement a  $d$ -dimensional Newton iteration, but where the Jacobian matrix of the nonlinear system of equations is computed approximately using a finite-difference technique. Specifically, for

$$\mathbf{f}(\mathbf{x}) \equiv \mathbf{f}(x_1, x_2, \dots, x_d) \equiv [f_1(\mathbf{x}), f_2(\mathbf{x}), \dots, f_d(\mathbf{x})] = \mathbf{0}$$

approximate the Jacobian element  $J_{ij}(\mathbf{x}) \equiv [\partial f_i / \partial x_j](\mathbf{x})$  using the difference quotient

$$\frac{f_i(x_1, x_2, \dots, x_{j-1}, x_j + h, x_{j+1}, \dots, x_d) - f_i(\mathbf{x})}{h}$$

where  $h$  is a specified parameter.

As part of your implementation, code a function with header

```
function x = newtond(f, jacfd, h, x0, tol)
```

where the input arguments are defined by

```

% f:      Function which implements the nonlinear system of equations.
%         Function is of the form f(x) where x is a length-d vector, and
%         returns length-d column vector.
% jacfd:  Function which is of the form jacfd(f, x, h) where f is the above
%         function, x is a length-d vector, and h is the finite difference
%         parameter. jacfd returns the d x d matrix of approximate Jacobian
%         matrix elements.
% h:      Finite differencing parameter.
% x0:     Initial estimate for iteration (length-d column vector).
% tol:    Convergence criterion: routine returns when relative magnitude
%         of update from iteration to iteration is <= tol.

```

and the output argument is

```
% x:     Estimate of root (length-d column vector)
```

Use your implementation to find a root of the system

$$x^2 + y^3 + z^4 = 1$$

$$\sin(xyz) = x + y + z$$

$$x = yz$$

starting from an initial estimate  $\mathbf{x}^{(0)} = (x^{(0)}, y^{(0)}, z^{(0)}) = (3, -2, -1)$  and using  $h = 10^{-5}$ .

Note that your implementation of `jacfd` (or whatever you wish to call it) does not have to compute the approximate Jacobian matrix for a *general* system of  $d$  equations: i.e. it can be specialized to the  $d = 3$  case under consideration.

Your writeup should contain a brief description of the observed convergence behaviour of your solver for the above system and initial estimate. Here, you may wish to “trace” the approximate root values and residuals at each Newton step by removing appropriate semi-colons from your source code.